



CERTIFICATE OF COMPLIANCE

REPORT NUMBER: CC050506 | REV 20230111A

This certifies that this product, provided by Triangle Fastener Corporation, meets the following requirements;

Product: TRACER® Drywall Screws,
TRACER® DS Self-Drilling Fasteners,
TRACER® CB Cement Board Screw

Specification

DRILL SCREWS: SAE J-78 & ASTM C1513
GIMLET POINT: ANSI/ASME B18.6.1 & ASTM C1002-22
HIGH LOW: ASTM C1002-22
PAN HEAD: SAE J-78, ASTM C1513 & ASTM C954

Material: C1022 Carbon Steel.

Finish: Phosphate min. 10 hrs. to red rust per ASTM B117 Salt Spray Test
Zinc min. 24 hrs. to red rust per ASTM B117 Salt Spray Test
Tri-Seal min. 1000hrs. to red rust per ASTM B117 Salt Spray Test



Country of Origin: Taiwan, Thailand

Product made in Thailand does not meet Buy American Act Requirements

Product made in Taiwan meets the Buy American Act Requirements as part of the TAA.

As follows: Total procurement for all supplies is over \$204,000; or greater than \$7,864,000 for construction contracts.
FASTENERS MADE IN THE USA OR ONE OF THE "DESIGNATED COUNTRIES", SUCH AS ONE OF THE WTO GPA COUNTRIES

TRACER® Drywall Screws are free of lead and asbestos.

LEED INFORMATION

This letter is to certify that the Carbon Steel Material used in the manufacturing of fasteners contains no post consumer recycled content, but does contain up to 10% of post-industrial recycled content.

User:

Job Name:

Approved: 

Josh Krohn
Engineering Services Manager